



**SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**1.1 Product identifier**

**Trade Name** Cislin® 25 Professional Insecticide

**Product code (UVP):** 81677964

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**1.3 Details of the supplier of the safety data sheet**

Bayer CropScience Pty Ltd  
Level 1, 8 Redfern Rd,  
Hawthorn East, Vic 3123  
Australia  
[www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

**New Zealand Agent**

Bayer New Zealand Ltd  
3 Argus Place, Hillcrest, Auckland,  
0627 New Zealand  
Telephone: 0800 428 246  
Facsimile: (09) 441 8645

**1.4 Emergency telephone no.**

**Emergency telephone no.** 0800 734 607 IXOM Operations Pty Ltd (24 hr)

**SECTION 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with New Zealand Regulation**

Hazardous classification: Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.

Signal word: Warning

HSNO classifications: 6.1D (All), 6.1D (O), 6.5B, 6.9B (All), 6.9B (I), 6.9B (O), 9.1A (C), 9.1A (F), 9.3B, 9.4A.

Harmful if swallowed, in contact with skin or if inhaled.

May cause an allergic skin reaction.

May cause organ damage from repeated oral exposure.

Very toxic to aquatic life with long lasting effects.

Toxic to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

Pictograms:





**Classification in accordance with Australian GHS Regulation**

Skin sensitization: Category 1  
H317 May cause an allergic skin reaction

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life

Chronic Aquatic Toxicity: Category 1  
H410 Very toxic to aquatic life with long-lasting effect

Dangerous goods classification: "Dangerous goods" for transport according to NZS 5433:1999, UN, IMDG or IATA - See Section 14.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical nature:** Deltamethrin 25 g/L Suspension Concentrate

Chemical Name	CAS-No.	Concentration [%]
Deltamethrin	52918-63-5	2.45
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0.0015 - < 1.00
Other ingredients (non-hazardous) to 100 %		

**SECTION 4. FIRST AID MEASURES**

**In case of poisoning by any exposure route contact the National Poisons and Hazardous Chemicals Information Centre, P.O. Box 913, Dunedin. Phone 0800 764 766, 0800 POISON and follow the advice given. Show this Safety Data Sheet to the doctor.**

**4.1 Description of first aid measures**

**General Advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.



### Ingestion

Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Call a physician or poison control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing.

Systemic:., discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness

#### 4.3 Indication of any immediate medical attention and special treatment needed

### Risks

This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

### Treatment

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable:** High volume water jet.

### 5.2 Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

#### Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**Hazchem Code** •3Z



## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Precautions

Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.

### 6.2 Environmental precautions

Retain and dispose of contaminated wash water. Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Check also for any local site procedures

### 6.4 Reference to other sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### Advice on safe handling

Use only in area provided with appropriate exhaust ventilation

#### Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

#### Hygiene measures

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Keep out of the reach of children. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Protect from freezing.

#### Advice on common storage

Keep away from food, drink and animal feedingstuffs



**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m <sup>3</sup>		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**General protective measures**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Engineering Controls**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.



## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Form	Suspension
Colour	White
pH	3.0 - 5.0 at 100 % (23 °C)
Density	ca. 1.02 g/cm <sup>3</sup> at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 at 25 °C
Viscosity, dynamic	240 - 400 mPaxs at 20 °C Velocity gradient 20 /s

### 9.2 Other information

Further safety related physical-chemical data are not known

## SECTION 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Store only in the original container.

**10.5 Incompatible materials** No hazardous reactions when stored and handled according to prescribed instructions.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 15,000 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 2.3 mg/l  
Exposure time 4 h

**Acute dermal toxicity** LD50 (Rat) > 10,000 mg/kg

**Skin irritation** No skin irritation (rabbit)

**Eye irritation** No eye irritation (rabbit).

**Sensitisation** Non-sensitising (guinea pig).



**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

Inhalation not likely., May cause irritation of the mucous membranes.

May cause sensitisation by skin contact.

May cause slight irritation.

May be harmful if swallowed

**Early onset symptoms related to exposure**

Refer to Section 4

**Delayed health effects from exposure**

Refer to Section 11

**Exposure levels and health effects**

Refer to Section 4

**Interactive effects**

Not known

**When specific chemical data is not available**

Not applicable

**Mixture of chemicals**

Refer to Section 2.1

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). The toxicological data refer to a similar formulation.

**HSNO classifications**

6.1D, 6.5B, 6.9B.

Harmful if swallowed, in contact with skin or if inhaled.

May cause an allergic skin reaction.

May cause organ damage from repeated oral exposure.



## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 µg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

#### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.0131 µg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

#### Toxicity to aquatic plants

EC50 (Algae) > 9.1 mg/l

Exposure time: 96 h

### 12.2 Persistence and degradability

#### Biodegradability

Deltamethrin: Not rapidly biodegradable

**Koc** Deltamethrin: Koc: 10240000

### 12.3 Bioaccumulative potential

#### Bioaccumulation

Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

### 12.4 Mobility in soil

#### Mobility in soil

Deltamethrin: Immobile in soil

### 12.5 Other adverse effects

#### Additional ecological information

No further ecological information is available.

#### HSNO classifications

9.1A, 9.3B, 9.4A.

Very toxic to aquatic life with long lasting effects.

Toxic to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

## SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a

**Bayer**  
**Safety Data Sheet**  
**Cislin® 25 Professional Insecticide**



Version / NZ  
102000029697

Revision Date 27.06.2017

local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SECTION 14. TRANSPORT INFORMATION**

**ADG**

UN-Number	<b>3082</b>
Class	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

Hazchem Code•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

**IMDG**

UN-Number	<b>3082</b>
Class	9
Subsidiary Risk	None
Packaging group	III
EmS	F-A , S-F
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

**IATA**

UN-Number	<b>3082</b>
Class	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION )

**SECTION 15. REGULATORY INFORMATION**

EPA approval number APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR008032.  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

MPI Approved Type B (All animal product except dairy).

Asurequality assessed (Global Proficiency Ltd) H2407

See also Section 2.



## SECTION 16. OTHER INFORMATION

### Trademark information

Cislin® is a registered trademark of Bayer.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	Internal Bayer CropScience "Occupational Exposure Standard"
PEAK Exposure	Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should

**Bayer**  
**Safety Data Sheet**  
**Cislin® 25 Professional Insecticide**



Version / NZ  
102000029697

Revision Date 27.06.2017

---

	not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	Time Weighted Average
UN	United Nations
WHO	World Health Organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS